



Technik & Montagehilfen



2024 / 2025 v.1.0

Technik

max. Zuleitungslängen 12V DC LED Strips



Rodzaj taśmy	Prąd pobierany	Przekrój kabla	Max. długość kabla
Type of LED strip	Consumed Current [A]	Cable cross-section (mm2)	Max cable length
			[m]
LN113/5000/..	4,79	2x0,35	1,5
		2x0,50	2,15
		2x0,75	3,2
LN386/5000/..	1,58	2x0,35	4,65
		2x0,50	6,65
		2x0,75	9,95
LN48P/5000/..	2	2x0,35	3,6
		2x0,50	5,25
		2x0,75	7,9
LN506/5000/..	2,08	2x0,35	3,5
		2x0,50	5,05
		2x0,75	7,55
LN703/5000/..	3	2x0,35	2,45
		2x0,50	3,5
		2x0,75	5,25
LN786/5000/..	3,25	2x0,35	2,25
		2x0,50	3,2
		2x0,75	4,85
LN903/5000/..	3,75	2x0,35	1,95
		2x0,50	2,8
		2x0,75	4,2
LS366/5000/..	1,5	2x0,35	4,9
		2x0,50	7
		2x0,75	10,5
LS48P/5000/..	2	2x0,35	3,6
		2x0,50	5,25
		2x0,75	7,9
LS506/5000/..	2,08	2x0,35	3,5
		2x0,50	5,05
		2x0,75	7,55
LS903/5000/..	3,75	2x0,35	1,95
		2x0,50	2,8
		2x0,75	4,2
CN112/5000/..	4,58	2x0,35	1,6
		2x0,50	2,3
		2x0,75	3,5
CS122/5000/..	5	2x0,35	1,5
		2x0,50	2,1
		2x0,75	3,2



Edelstahl Wandeinbaucontaineren
Built-in Stainless steel containers
Pojemniki ze stali nierdzewnej do zabudowy wewnętrznej



Bernd Guse
Industrievertretungen
Inhaber Sven Köhler e.K.
Bahndamm 15
33803 Steinhagen

Telefon
Telefax
E-Mail
Homepage

[05204] 91 41 80
[05204] 91 41 88
info@bernd-guse.de
www.bernd-guse.de